

**3-way ball valve L-bore PVC-U
25 mm glue socket 10bar DN20
grey type L-bore side
connection (0111642)**



TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	L-bore
------	--------

Material	PVC-U
----------	-------

Connection	glue socket
------------	-------------

Connection	glue socket
------------	-------------

Connection	glue socket
------------	-------------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	PVC-U
-----------------	-------

Material housing	PVC-U
------------------	-------

Material seal	PTFE/EPDM
---------------	-----------

Ball bore	L-bore
-----------	--------

Connection type	side connection
-----------------	-----------------

Connection	glue socket
------------	-------------

Temperature range	0°C - 60°C
-------------------	------------

Pressure	10 bar
----------	--------

Size	25 mm
------	-------

Size	25 mm
------	-------

Size 2	25 mm
--------	-------

Size	25 mm
------	-------

DN	20
----	----

DIMENSIONS

Lb	123 mm
----	--------

ØDi-1	25 mm
-------	-------

ØDi-2	25 mm
-------	-------

Ct-1	52 mm
------	-------

R	85 mm
---	-------

ØDf	20 mm
-----	-------

Generated by date: 21/09/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>