

**Jet pump cast iron 1" female  
thread 3,2A 230VAC blue type  
Jet 100 A (7031126)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Type	Jet 100 A
Material	cast iron
Pump body	cast iron
Material impeller 1	noryl
Connection	female thread
Voltage	230VAC
Max. temperature	40 °C
Power	1.1 kW
MWC	50
Ampere	3,2 A
Max flow rate	3.6 m <sup>3</sup> /h
Press	1 "
Maximum ambient temperature 40 °C	
Suction	1 "
Size	1"
BEP Capacity	2.4

BEP Head 30

PORlh 0.55

PORhh 50

PORlq 0.3

PORhq 3.6

## DIMENSIONS

L 390 mm

H 200 mm

W 180 mm

L 375 mm

W-1 180 mm

ØDi-1 1 "

ØDi-2 1 "

O 10 mm

Cb-1 147 mm




G-1 135 mm

Cl-1 90 mm

Mr 220 mm

H

200 mm



## PRODUCT INFORMATION

Single-stage self-priming centrifugal surface pump equipped with the Venturi tube system for increased suction capacity, designed for pumping of clean cold water from own intakes and for increasing pressure. The pump body is made of durable cast iron, and the pump motor is provided with thermal protection. The pump has a power cable with a plug. Application: Supply of water to houses, holiday houses, allotments and gardens. When combined with pressure tanks, the pumps can be used for single- and multi-family residential housing, in industrial applications and for irrigation purposes.

**Last modified date: 08/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>