

**VIR Ball valve brass chrome
plated 2" female thread 40bar
WRAS/VA type K340F (0401328)**



TECHNICAL SPECIFICATIONS

Type	K340F
------	-------

Material	brass
----------	-------

Surface treatment	chrome plated
-------------------	---------------

Approval	WRAS/VA
----------	---------

Operation	butterfly handle
-----------	------------------

Colour lever	red
--------------	-----

Handle material	aluminium
-----------------	-----------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Max. temperature	150 °C
------------------	--------

Minimum medium temperature 0 °C
(continuous)

Flow	full
------	------

Temperature range	0°C - 150°C
-------------------	-------------

Pressure	40 bar
----------	--------

Size	2"
------	----

DIMENSIONS

Handle height	73
---------------	----

Lb	110 mm
----	--------

ØDi-1	2 "
-------	-----

ØDi-2	2 "
-------	-----

F-1	19 mm
-----	-------

F-2	19 mm
-----	-------

Ct-1	73 mm
------	-------

ØDf	50 mm
-----	-------

Last modified date: 10/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>