

**Foras Jet pump cast iron 1 1/2"
x 1" female thread 8bar 3,9A
230/400VAC blue self priming
type JA 200 T (7034798)**



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Material	cast iron
----------	-----------

Pump body	cast iron
-----------	-----------

Material impeller 1	noryl
---------------------	-------

Model	self priming
-------	--------------

Connection	female thread
------------	---------------

Seal	type B
------	--------

Max. temperature	50 °C
------------------	-------

Press	1 "
-------	-----

Suction	1 1/2 "
---------	---------

Type	JA 200 T
------	----------

Size	1 1/2" x 1"
------	-------------

Voltage	230/400VAC
---------	------------

Minimum medium temperature 0 °C
(continuous)

Power	1.5 kW
-------	--------

MWC	62,5
-----	------

Ampere	3,9 A
--------	-------

Max flow rate	6.6 m ³ /h
---------------	-----------------------

Maximum ambient temperature	40 °C
-----------------------------	-------

BEP Capacity	5.5
--------------	-----

BEP Head	42
----------	----

PORlh	35
-------	----

PORhh	51
-------	----

PORlq	3.78
-------	------

PORhq	6.48
-------	------

Minimum ambient temperature	0 °C
-----------------------------	------

Seal	69 mm
------	-------

DIMENSIONS

L	596 mm
---	--------

LB	309 mm
----	--------

H	240 mm
---	--------

W	220 mm
---	--------

LM	287 mm
----	--------

MW	177 mm
----	--------

Cb-1	112 mm
------	--------

Cb-2	240 mm
------	--------

Ct-1	128 mm
------	--------

Cr-1	257 mm
------	--------

PRODUCT INFORMATION

Specifications:

Jet type self-priming electric pumps for suction up to 7-8 metres deep.

Motor sealed auto-ventilated.

Max. pressure: 6 bar

Water temperature: max. 40°C

These pumps are ready for installation by a qualified electrician.

Last modified date: 15/02/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>