

Praher 3-way ball valve L-bore PVC-U 63 mm glue socket 3bar DN50 230VAC grey type L-bore side connection (0111280)



PRAHER
GROUP

TECHNICAL SPECIFICATIONS

Colour	grey
Type	L-bore
Material	PVC-U
Connection	glue socket
Connection	glue socket
Connection	glue socket
Operation	actuator 230V
Colour lever	red
Shaft	PVC
Switching time	26 sec.
Material housing	PVC-U
Material seal	PTFE/EPDM
Ball bore	L-bore
Connection type	side connection
Connection	glue socket
Voltage	230VAC
Temperature range	0°C - 60°C

Power	8 W
-------	-----

Pressure	3 bar
----------	-------

Size	63 mm
------	-------

Size	63 mm
------	-------

Size 2	63 mm
--------	-------

Size	63 mm
------	-------

DN	50
----	----

DIMENSIONS

ØDf	50 mm
-----	-------

PRODUCT INFORMATION

Electric actuator with manual override. With ball position indicator.

Generated by date: 21/09/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>