


Profec Ball valve brass nickel plated 1 1/2" female thread 25bar type 100 VA (0403036)



TECHNICAL SPECIFICATIONS

Type	100 VA
------	--------

Material	brass
----------	-------

Surface treatment	nickel plated
-------------------	---------------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	stainless steel
-----------------	-----------------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Temperature range	0°C - 100°C
-------------------	-------------

Pressure	25 bar
----------	--------

Size	1 1/2"
------	--------

DIMENSIONS

Lb	86.7 mm
----	---------

ØDi-1	1 1/2 "
-------	---------

ØDi-2	1 1/2 "
-------	---------


F-1	17 mm
-----	-------

F-2	17 mm
-----	-------

Ct-1	79.9 mm
------	---------

R	141.3 mm
---	----------

ØDf	37 mm
-----	-------



Last modified date: 30/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>