

**Profec Water meter brass 2
1/2" male thread 16bar 0,1A
15m³/h DN50 24V blue CE/MID
MD-A/MD-AP type TL multi jet
horizontal with pulse option
(0892311)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	TL multi jet
Material	brass
Approval	CE/MID
Model	MD-A/MD-AP
Connection	male thread
Type	horizontal with pulse option
Min. reading	0.00005 m ³ /h
Voltage	24V
Pressure	16 bar
Max. temp.	50 °C
Capacity Qmax	30 m ³ /h
Capacity Qn	15 m ³ /h
DN	2 "
Size	2 1/2"
Pulse option	100 ltr
Q1 ISO 4064 (2005)	0.31 m ³ /h

Q3 ISO 4064 (2005)	25 m ³ /h
Q4 ISO 4064 (2005)	31.3 m ³ /h
Max. reading	999.999 m ³ /h
Length	280/300 mm
DN	50
Width	125 mm
Diam.	2 "

DIMENSIONS

H	172 mm
---	--------

PRODUCT INFORMATION

Multi-jet water meters are provided with an installed pulse output option rotor. The pulse output option as given in specs.

The pulse output option rotor can activate pulse reader.

Pulse output option rotor can be changed with one of the other rotors on the counter.

Last modified date: 15/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA

T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>