

**Profec Water meter cast iron
DN125 DIN flange 10bar
100m³/h blue LXXG type
paddle horizontal (7021130)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	paddle
Material	cast iron
Model	LXXG
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Type	horizontal
Min. temp.	0.1 °C
Pressure	10 bar
Max. temp.	40 °C
Capacity	160 m ³ /h
Capacity Qmax	350 m ³ /h
Capacity Qn	100 m ³ /h
Size	DN125
Q1 ISO 4064 (2005)	6.4 m ³ /h
Q3 ISO 4064 (2005)	160 m ³ /h

Q4 ISO 4064 (2005)	200 m ³ /h
Min. reading	0.002 m ³ /h
Max. reading	999.999 m ³ /h
Length	250 mm
Diam.	5 "
PCD	210 mm

DIMENSIONS

H	302 mm
Install. length	250
PCD	210 mm

PRODUCT INFORMATION

Specifically for natural source irrigation installations.

The paddle wheel impeller helps to avoid damage to the meter by stones or other materials which might be sucked in.

Dry display.

Last modified date: 11/10/2025

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>