

**DAB Pressure set
technopolymer 1 1/4" female
thread 12bar 4,4A 400VAC
black type ESYBOX MAX
60/120T 380-480 (7038003)**



TECHNICAL SPECIFICATIONS

Colour	black
--------	-------

Material	technopolymer
----------	---------------

Pump body	technopolymer
-----------	---------------

Material impeller 1	technopolymer
---------------------	---------------

MWC	80 m
-----	------

Connection	female thread
------------	---------------

Max. temperature	50 °C
------------------	-------

Minimum medium temperature 0 °C
(continuous)

Height	613 mm
--------	--------

Max flow rate	17.4 m ³ /h
---------------	------------------------

Maximum ambient temperature	55 °C
-----------------------------	-------

Pressure	12 bar
----------	--------

Packaging dimensions L/W/H	400 x 380 x 800 mm
----------------------------	--------------------

Type	ESYBOX MAX 60/120T 380-480
------	----------------------------

Size	1 1/4"
------	--------

Voltage	400VAC
---------	--------




Weight	29 kg
Power	2.65 kW
Impellers	3
Ampere	4,4 A

DIMENSIONS

Cb-1	87 mm
Cc-1	124.5 mm
Cl-1	131.8 mm
Cr-1	127.7 mm
H	384 mm
H-1	384 mm
L	766 mm
Lb	228 mm
Lb-2	613 mm
Length	384 mm
W-1	375 mm
Width	375 mm
ØDi-1	1 1/4 - 2 "

ØDi-2

1 1/4 - 2 "



PRODUCT INFORMATION

Includes a self-priming multi-stage pump, management inverter electronics, pressure and flow sensors, adjustable high resolution LCD display with 2 litre built-in expansion vessel, and cartridge check valve.

Suitable for use with potable water in commercial applications.

Pressure set point adjustable from 1 to 12 bar

Max. inlet pressure: 5 bar

Installation: fixed vertical position, a 4 pump modular system is available with the additional kit to connect the ESYDOCKS.

Docking station not included and is required for operation.

Last modified date: 08/05/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>