

**Profec Water meter nylon 1"  
male thread 16bar 0,1A DN20  
24V black CE/MID MD-AP type  
Nylon multi jet horizontal with  
pulse option (7025225)**



# TECHNICAL SPECIFICATIONS

Colour black

Type Nylon multi jet

Material nylon

Approval CE/MID

Model MD-AP

Connection male thread

Pulse option 10 ltr

Type horizontal with pulse option

Min. reading 0.00005 m<sup>3</sup>/h

Max. reading 99.999 m<sup>3</sup>/h

Voltage 24V

Pressure 16 bar

Max. temp. 50 °C

DN 3/4 "

Size 1"

Q1 ISO 4064 (2005) 0.05 m<sup>3</sup>/h

Q3 ISO 4064 (2005) 4 m<sup>3</sup>/h

Q4 ISO 4064 (2005) 5 m<sup>3</sup>/h

Length 190 mm

DN 20

Width 99 mm

Diam. 3/4 "

## DIMENSIONS

H 106 mm

Install. length 190

## PRODUCT INFORMATION

This water meter meets the standards ISO 4064-2005 and EN 14154. The nylon water meter is supplied with plastic couplings. The nylon housing improves chemical resistance and increases the price/quality ratio.

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>