

**3-way ball valve T-bore PVC-U
20 mm glue socket 10bar DN15
grey type T-bore side
connection (0111519)**



TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	T-bore
------	--------

Material	PVC-U
----------	-------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	PVC-U
-----------------	-------

Material housing	PVC-U
------------------	-------

Material seal	PTFE/EPDM
---------------	-----------

Ball bore	T-bore
-----------	--------

Connection type	side connection
-----------------	-----------------

Connection	glue socket
------------	-------------

Temperature range	0°C - 60°C
-------------------	------------

Pressure	10 bar
----------	--------

Shaft	PVC-U
-------	-------

Size	20 mm
------	-------

DN	15
----	----

DIMENSIONS

Lb 112 mm


ØDi-1 20 mm

ØDi-2 20 mm

Ct-1 57 mm

R 85 mm

ØDf 15 mm



Generated by date: 26/09/2025

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>