

# Rain Bird Spray head plastic 5/8" 2,1bar 360° brown type U- 12-F (7021621)



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

|          |         |
|----------|---------|
| Material | plastic |
|----------|---------|

|              |             |
|--------------|-------------|
| Suitable for | series 1800 |
|--------------|-------------|

|          |         |
|----------|---------|
| Pressure | 2,1 bar |
|----------|---------|

|             |             |
|-------------|-------------|
| Rec. press. | 1 - 2,1 bar |
|-------------|-------------|

|        |       |
|--------|-------|
| Colour | brown |
|--------|-------|

|      |        |
|------|--------|
| Type | U-12-F |
|------|--------|

|          |                               |
|----------|-------------------------------|
| Capacity | 0,40 - 0,60 m <sup>3</sup> /h |
|----------|-------------------------------|

|          |                 |
|----------|-----------------|
| Capacity | 6,8 - 9,8 l/min |
|----------|-----------------|

|                |         |
|----------------|---------|
| Capacity 2 bar | 590 l/h |
|----------------|---------|

|               |                        |
|---------------|------------------------|
| Capacity 2bar | 0,59 m <sup>3</sup> /h |
|---------------|------------------------|

|               |         |
|---------------|---------|
| Capacity 1bar | 400 l/h |
|---------------|---------|

|                 |         |
|-----------------|---------|
| Capacity 1,5bar | 480 l/h |
|-----------------|---------|

|      |      |
|------|------|
| Size | 5/8" |
|------|------|

|                   |      |
|-------------------|------|
| Sector adj. range | 360° |
|-------------------|------|

|       |      |
|-------|------|
| Angle | 23 ° |
|-------|------|

|        |             |
|--------|-------------|
| Radius | 2,7 - 3,7 m |
|--------|-------------|

|             |       |
|-------------|-------|
| Radius 2bar | 3,6 m |
|-------------|-------|

# PRODUCT INFORMATION

The Rain Bird Spray head, type U series is used with the 1800 & Uni-Spray series pop up in cases where sprinklers with various arcs and radius are to be used in the same zone and is important to maintain even flows independent of the nozzle used.

The U-Series are ideal for spots where the areas close to the sprinkler are not getting watered well enough and with the U-Series double orifice you can get better irrigation in the short range. The U-Series have a second orifice for irrigation in order to water the areas close to the sprinkler better.

The top is coloured for easy radius and arc identification: U-8 (green with 10° trajectory), U-10 (blue with 12° trajectory), U-12 (brown with 23° trajectory) and U-15 (black with 23° trajectory).

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>