

VIR Ball valve brass chrome plated 4" female thread 25bar WRAS/VA type 340B (0400979)



TECHNICAL SPECIFICATIONS

Type	340B
Material	brass
Surface treatment	chrome plated
Approval	WRAS/VA
Operation	lever
Colour lever	blue
Handle material	dacromet steel
Housing construction	2-part
Ball material	hard chrome plated brass
Material housing	brass
Material seal	PTFE
Connection	female thread
Max. temperature	150 °C
Minimum medium temperature 0 °C (continuous)	
Flow	full
Temperature range	0°C - 150°C

Size	4"
------	----

Pressure	25 bar
----------	--------

DIMENSIONS

Handle height	144
---------------	-----

Lb	188 mm
----	--------

ØDi-1	4 "
-------	-----

ØDi-2	4 "
-------	-----


F-1	31 mm
-----	-------

F-2	31 mm
-----	-------

Ct-1	144 mm
------	--------

R	281 mm
---	--------

ØDf	100 mm
-----	--------



Last modified date: 10/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>