

**Profec Flange threaded steel  
zinc plated DN20 x 3/4" DIN  
flange x female thread DN20  
PN10/16 (1080211)**



# TECHNICAL SPECIFICATIONS

|                   |                            |
|-------------------|----------------------------|
| Material          | steel                      |
| Surface treatment | zinc plated                |
| Connection        | DIN flange x female thread |
| DIN Standard      | DIN 2566                   |
| Flange            | PN10/16                    |
| Size              | DN20 x 3/4"                |
| Bolt              | M12                        |
| DN                | 20                         |
| Diameter          | 26,9 mm                    |
| Outer ø           | 105 mm                     |
| Weight            | 0.91 kg                    |
| Thickness         | 16 mm                      |
| Bolt hole         | 14 mm                      |
| Holes             | 4                          |

## DIMENSIONS


|       |       |
|-------|-------|
| ØDi-1 | 3/4 " |
|-------|-------|

PCD

75 mm

O

14 mm



**Last modified date: 15/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>