

# NaanDan Part circle sprinkler brass 1/2" male thread 4,0 mm type 423 WP AG (0630055)



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Type 423 WP AG

Material brass

Connection male thread

Max diameter 28 m

Nozzle size 4,0 mm

Rec. press. 2 - 4 bar

Capacity 2bar 0,85 m<sup>3</sup>/h

Capacity 3bar 1,03 m<sup>3</sup>/h

Capacity 4bar 1,18 m<sup>3</sup>/h

Size 1/2"

Radius 2bar 12,5 m

Radius 3bar 13,5 m

Radius 4bar 14 m

Type 423 WP AG								
3,2mm			3,5mm			4,0mm		
Bar	Q	R	Bar	Q	R	Bar	Q	R
1,5	0,60	11,0	1,5	0,58	11,5	1,5	0,71	11,5
2,0	0,57	11,5	2,0	0,66	12,0	2,0	0,85	12,5
3,0	0,70	12,5	3,0	0,81	13,0	3,0	1,03	13,5
4,0	0,81	13,0	4,0	0,91	13,5	4,0	1,18	14,0

# PRODUCT INFORMATION

Agricultural (AG) version has an additional sand and dust protection sleeve as well as an improved white washer that is more resistant to dirt.

**Last modified date: 21/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>