

**Norsup Variable speed pool
pump 2" x 1 1/2" female thread
230VAC white/black type Evo
Pro with Modbus 1.5HP
(7035201)**



 **NORSUP** 4 YEARS
WARRANTY

TECHNICAL SPECIFICATIONS

Colour white/black

Type Evo Pro with Modbus

Material impeller 1 noryl

Material seal NBR

Connection female thread

Voltage 230VAC

Max. temperature 40 °C

Width 196 mm

Height 301 mm



IP value IP54

Output Power 1,5 HP

Size 2" x 1 1/2"

Weight 12.7 kg

Power 1.1 kW



PRODUCT INFORMATION

Equipped with an integrated control, this pump can be individually programmed to your needs. With the timer function it is possible to set up to five different speeds at specific times of the day. In addition, the pump has a skimmer function, which allows an interval to be programmed so that the pump runs at high speed for a short time (for example, every three hours for five minutes at 3000 rpm) to extract all debris from the water surface. Operation with an external swimming pool control via the integrated control cable is also possible. Thanks to the variable speed motor, the pump can be operated very quietly. The pump can be installed on existing connections to pumps of the following models: Badu Better, Badu Top II, Badu 90, Badu Magna, Badu Prime etc.

Features:

- Timer with 5 speed daily settings possible
- Skimmer function for cleaning water surface
- Control cable for external controls
- Up to 24 m³ (at 8m H [m])
- Connections: 1.5"/ 2" female thread
- Saltwater resistant: Up to 0.4% (4 g / l)
- Insulation: Class F
- Protection: IP55
- Shaft: 316 stainless steel
- German "high spec" motor
- Single-phase motor with thermal protection
- Including strainer lid opening tool
- Permanent magnet motor
- 4 years warranty

Recommended pump fitting:

50 mm x 1.5" Art-Nr: 0100432

63 mm x 2" Art-Nr: 0100433

Last modified date: 18/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>