

**Profec Water meter cast iron
DN125 DIN flange 16bar
100m³/h blue LXLC(R) type
Woltman horizontal (7021133)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Woltman
Material	cast iron
Model	LXLC(R)
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Type	horizontal
Max. reading	999.999 m ³ /h
Temperature range	0°C - 40°C
Pressure	16 bar
Capacity	160 m ³ /h
Capacity Qmax	200 m ³ /h
Capacity Qn	100 m ³ /h
Size	DN125
Q1 ISO 4064 (2005)	3.1 m ³ /h
Q3 ISO 4064 (2005)	160 m ³ /h

Q4 ISO 4064 (2005)	312.5 m ³ /h
--------------------	-------------------------

Min. reading	0.002 m ³ /h
--------------	-------------------------

Length	250 mm
--------	--------

Diam.	5 "
-------	-----

PCD	210 mm
-----	--------

DIMENSIONS

H	299 mm
---	--------

Install. length	250
-----------------	-----

PCD	210 mm
-----	--------

Last modified date: 10/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>