

**Hunter Nozzle plastic female  
thread 1,0 - 3,0bar 0°-270°  
black type Fixed PRO 15TQ  
(7032624)**



**Hunter®**

# TECHNICAL SPECIFICATIONS

|          |         |
|----------|---------|
| Material | plastic |
|----------|---------|

|            |               |
|------------|---------------|
| Connection | female thread |
|------------|---------------|

|          |               |
|----------|---------------|
| Pressure | 1,0 - 3,0 bar |
|----------|---------------|

|             |         |
|-------------|---------|
| Rec. press. | 2.1 bar |
|-------------|---------|

|        |       |
|--------|-------|
| Colour | black |
|--------|-------|

|      |           |
|------|-----------|
| Type | Fixed PRO |
|------|-----------|

|          |                               |
|----------|-------------------------------|
| Capacity | 0,45 - 0,78 m <sup>3</sup> /h |
|----------|-------------------------------|

|          |                    |
|----------|--------------------|
| Capacity | 7,50 - 12,95 l/min |
|----------|--------------------|

|      |      |
|------|------|
| Type | 15TQ |
|------|------|

|                   |         |
|-------------------|---------|
| Sector adj. range | 0°-270° |
|-------------------|---------|

|       |      |
|-------|------|
| Angle | 28 ° |
|-------|------|

|        |             |
|--------|-------------|
| Radius | 3,9 - 5,2 m |
|--------|-------------|

## PRODUCT INFORMATION

Designed to cater to the most reliable, accurate fixed-arc spray solution possible.

**Last modified date: 24/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>