

# NaanDan Mist nozzle plastic taper F green type Green Mist (7020895)



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Colour green

Type Green Mist

Material plastic

Connection taper F

Rec. press. 2.0 - 3.5 bar

Capacity 2 bar 30 l/h

Capacity 2,5bar 34 l/h

Capacity 3bar 37 l/h

## PRODUCT INFORMATION

Ideal for misting and irrigation over propagation benches.

Installation instructions:

Height of units above bench: 1.0 - 1.2m; max. spacing between units on lateral: 0.8m; max. spacing between laterals: 0.8m; max. distance of lateral from bench edge: 0.1m.

Wetted diameter: 1.2m.

For fitting into PE pipe, punch a 4mm hole. Use with low pressure L.P.D. (Leakage Prevention Device) to prevent leaking and for a perfect pulse operation.

Filtration requirement: 130 micron.

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House

Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>