

Foras Centrifugal pump cast iron 1" female thread 6bar 2A 230/400VAC blue type KM 106 T (7034357)



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Material	cast iron
----------	-----------

Material impeller 1	brass
---------------------	-------

Connection	female thread
------------	---------------

Seal	type A
------	--------

Length	300 mm
--------	--------

Voltage	230/400VAC
---------	------------

Max. temperature	90 °C
------------------	-------

Width	185 mm
-------	--------

Minimum medium temperature 0 °C
(continuous)

Max flow rate	5.4 m ³ /h
---------------	-----------------------

Press	1 "
-------	-----

Maximum ambient temperature	40 °C
-----------------------------	-------

Suction	1 "
---------	-----

BEP Capacity	5.4
--------------	-----

Minimum ambient temperature 5 °C

Efficiency	46 %
Type	KM 106 T
Output Power	1 HP
Size	1"
Weight	14.5 kg
Power	0.74 kW
MWC	33
BEP Head	25
Packaging dimensions L/W/H	325 x 200 x 265 mm

DIMENSIONS



H	234 mm
L	300 mm
W-1	180 mm
ØDi-1	1 "
ØDi-2	1 "
Cb-1	97 mm
G-1	140 mm
Cl-1	46.5 mm

Mr 110 mm

W-2 185 mm

H-1 234 mm

O 8 mm



PRODUCT INFORMATION

Mechanical seal.

Oversized self-lubricating bearings.

Sealed motor with external cooling.

Electrical winding Class F Condenser - thermo - amperometric safety (only in mono).

The maximum water temperature is 90°C.

Supplied without cable.

Last modified date: 10/02/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>