

**NaanDan Drip irrigation hose**  
**PE 16 mm x 1,2 mm 47mil 3bar**  
**130micron 2,2ltr/h 33cm**  
**brown 50m type GardenDrip**  
**(7030178)**



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

|                  |             |
|------------------|-------------|
| Colour           | brown       |
| Type             | GardenDrip  |
| Material         | PE          |
| Filtration       | 130 micron  |
| Flow             | 2,2 ltr/h   |
| Inner ø          | 13,6 mm     |
| Opening pressure | 0,5 bar     |
| Pressure         | 3 bar       |
| Rec. press.      | 0,5 - 3 bar |
| Wall thickness   | 47 mil      |
| Wall thickness   | 1,2 mm      |
| Size             | 16 mm       |
| Length           | 50 m        |
| Max. Length      | 118 m       |
| Dripper spacing  | 33 cm       |

# PRODUCT INFORMATION

The NaanDan GardenDrip with TOP PC dripper is ideal for residential drip irrigation on ground cover, dense plantings, hedge rows and trees.

The Garden drip special material gives it additional flexibility in order to avoid kinks in the coils before and during installation.

Brown coils come packed in plastic foil which allows you to save any remaining drip hose in its original packaging.

Pressure Regulating Range: 0.4 - 4.0 bar.

Recommended Filtration: 130 micron.

**Last modified date: 23/02/2026**

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>