

**3-way ball valve T-bore PVC-U
32 mm glue socket 10bar DN25
grey type T-bore side
connection (0111521)**



TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	T-bore
------	--------

Material	PVC-U
----------	-------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	PVC-U
-----------------	-------

Material housing	PVC-U
------------------	-------

Material seal	PTFE/EPDM
---------------	-----------

Ball bore	T-bore
-----------	--------

Connection type	side connection
-----------------	-----------------

Connection	glue socket
------------	-------------

Temperature range	0°C - 60°C
-------------------	------------

Pressure	10 bar
----------	--------

Shaft	PVC
-------	-----

Size	32 mm
------	-------

DN	25
----	----

DIMENSIONS

Ct-1 74 mm


Lb 147 mm

R 100 mm

ØDf 25 mm

ØDi-1 32 mm

ØDi-2 32 mm



Last modified date: 20/02/2026

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>