

# Honeywell Pressure reducing valve brass 1/2" male thread 25bar 0,16 mm DN15 stainless steel type D06FN (0410913)



**Honeywell**

# TECHNICAL SPECIFICATIONS

|                         |                       |
|-------------------------|-----------------------|
| Type                    | D06FN                 |
| Material                | brass                 |
| Material filter element | stainless steel       |
| Membrane material       | EPDM                  |
| Material housing        | brass                 |
| Material seal           | EPDM                  |
| Connection              | male thread           |
| Max. temperature        | 60 °C                 |
| Filtration              | 0,16 mm               |
| Outlet pressure         | 0,5 - 2 bar           |
| Pressure                | 25 bar                |
| Capacity                | 2,4 m <sup>3</sup> /h |
| Size                    | 1/2"                  |
| Length                  | 140 mm                |
| DN                      | 15                    |
| Weight                  | 1.4 kg                |
| Height                  | 204 mm                |

# PRODUCT INFORMATION

Same as type D06F, but without setting scale. With a brass sieve holder, without a pressure gauge.

For water and other non-aggressive liquids, compressed air and nitrogen.

The valve comes without couplings

**Last modified date: 10/10/2025**

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>