


# **DAB Submersible pump technopolymer 1" female thread 4,8A 230VAC black type Eurocover (7033860)**



# TECHNICAL SPECIFICATIONS

Colour	black
Type	Eurocover
Material	technopolymer
Pump body	technopolymer
Material impeller 1	technopolymer
Connection	female thread
Voltage	230VAC
Max. temperature	35 °C
Minimum medium temperature 0 °C (continuous)	
Press	1 "
Output Power	0,3 HP
Size	1"
Float	included
Power	0.22 kW
MWC	6,5
Ampere	4,8 A

Max flow rate	6 m <sup>3</sup> /h
BEP Capacity	4.25
BEP Head	19
PORlh	22.8
PORhh	13.3
PORlq	2.975
PORhq	5.1



## PRODUCT INFORMATION

Fully automatic electric submersible pump with wide support base for greater stability. This also gives the option of running the pump in positions that are not be perpendicular to the ground. Suitable for use above tarpaulins and (pool) covers to pump out rainwater, thus preventing the cover from breaking due to the weight of the collected water. If necessary, the Eurocover can serve as an emergency submersible pump for emptying and/or drainage in case of emergency. Electric pump made of sturdy thermoplastic material. Motor, shaft and screws made of stainless steel. Triple seal with intermediate rings with oil pre-chamber. Built-in float for automatic operation. The float is installed in separate housing that is easily accessible for

maintenance/cleaning.

## Last modified date: 08/11/2025

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>