


**VIR Ball valve brass chrome
plated 2" female thread x male
thread 40bar WRAS/VA type
K343F (0401337)**



TECHNICAL SPECIFICATIONS

Type	K343F
Material	brass
Connection	female thread
Connection	male thread
Surface treatment	chrome plated
Approval	WRAS/VA
Operation	butterfly handle
Colour lever	red
Handle material	aluminium
Housing construction	2-part
Ball material	hard chrome plated brass
Material housing	brass
Material seal	PTFE
Connection	female thread x male thread
Max. temperature	150 °C

Minimum medium temperature 0 °C
(continuous)

Flow	full
------	------

Temperature range	0°C - 150°C
-------------------	-------------

Pressure	40 bar
----------	--------

Size	2"
------	----

Size	2 "
------	-----

Size 2	2 "
--------	-----

DIMENSIONS

Handle height	73
---------------	----

Lb	122 mm
----	--------

ØDi-1	2 "
-------	-----

ØDo-2	2 "
-------	-----


F-1	21 mm
-----	-------

F-2	19 mm
-----	-------

Ct-1	73 mm
------	-------

R	54 mm
---	-------

ØDf	50 mm
-----	-------



Generated by date: 23/09/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>