

**Profec Ultrasonic water meter
cast iron DN125 DIN flange
16bar 160m³/h blue MID type
Class 2 (7021150)**



TECHNICAL SPECIFICATIONS

| | |
|--------------------|----------------------------------|
| Colour | blue |
| Type | Class 2 |
| Material | cast iron |
| Approval | MID |
| Connection | DIN flange |
| Pressure | 16 bar |
| IP value | IP68 |
| Capacity | 100 m ³ /h |
| Capacity Qmax | 200 m ³ /h |
| Capacity Qn | 160 m ³ /h |
| Size | DN125 |
| Q1 ISO 4064 (2005) | 0.64 m ³ /h |
| Q3 ISO 4064 (2005) | 160 m ³ /h |
| Q4 ISO 4064 (2005) | 200 m ³ /h |
| Max. reading | 99999999.99999 m ³ /h |
| Length | 250 mm |
| Diam. | 5 " |

PCD

210 mm

DIMENSIONS

H 380 mm

Install. length 250

PCD 210 mm

PRODUCT INFORMATION

Ultrasonic measurement without moving parts, guaranteeing a long life operation without wear and tear. Ultrasonic measurements allows this water meter to be installed in any position. Highly accurate at low flow rates. For liquids from 4 – 60°C
2 way measurement.

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>