

**Rain Bird Drip irrigation hose**  
**PE 16,1 mm x 1,2 mm 3,8bar**  
**125micron 2,3ltr/h 33cm**  
**brown 100m type PC inline XFS**  
**sub surface (7022018)**



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

Colour brown

Material PE

Filtration 125 micron

Length 100 m

Inner ø 13,6 mm

Maximum ambient temperature 52 °C

Dripper spacing 33 cm

Pressure 3,8 bar

Max. temp. 38 °C

Rec. press. 1 - 3,8 bar

Wall thickness 1,2 mm

Type PC inline XFS sub surface

Flow 2,3 ltr/h

Size 16,1 mm

Max. Length 140 m

# PRODUCT INFORMATION

The Rain Bird drip irrigation hose, type PC inline XFS sub surface is ideal when it comes to making low maintenance systems for used for grasslands, shrubs or groundcover areas.

The XFS sub surface drip hose comes with an inline dripper equipped with the copper shield technology in order to prevent root intrusion into the labyrinth.

The XFS special material gives it an additional flexibility in order to avoid kinks in the coils before and during installation.

The benefit of this is to save time and material by allowing tighter turns with less fittings and stakes.

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>