

Flotide Heat pump Inverter
ABS/stainless steel 50 mm 9.9A
230VAC black type horizontal
Inver UK Plug 9/32 (7042936)



FLOTIDE



bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour black

Type horizontal Inver UK Plug

Material ABS/stainless steel

Condensor titanium

Fan orientation Horizontal

Max. temperature 40 °C

Minimum medium temperature 9 °C
(continuous)

Frequency 50 Hz

Maximum ambient temperature 43 °C

Minimum ambient temperature -7 °C

Refrigerant R32

Compressor brand Gree

Energy label A

Nom. vol. flow rate 4 m³/h

Gross weight 42 kg

Size 50 mm

Type	9/32
Voltage	230VAC
Weight	54 kg
Ampere	9.9 A
Noise level	48 dB
Phase	1
Pool volume	25 ~ 45 m ³
Max. pool vol.	45 m ³
COP at A15/W25	6.0 ~ 4.1
Heating cap. A15/W25	6.5 ~ 1.2 kW
Fan power	0.04 kW
Fan speed	550 ~ 800 Rpm
Noise level	28 dB
CO2 equivalent	0.27 ton
Fans (number)	1
COP at A27/W27	10.0 ~ 5.8
Heating cap. A27/W27	9.0 ~ 2.4 kW
Motor Power	2.250 ~ 0.36 kW

DIMENSIONS

H	618 mm
---	--------

L	888 mm
---	--------

W	360 mm
---	--------

Last modified date: 25/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>