

**Grundfos Circulatiepomp met
variabele snelheid gietijzer
DN100 flens 10bar 4.71A
230VAC zwart/rood type
MAGNA1 100-80F EuP ready
(7039248)**



GRUNDFOS 

TECHNISCHE SPECIFICATIES

Kleur	zwart/rood
-------	------------

Materiaal	gietijzer
-----------	-----------

Pomphuis	gietijzer
----------	-----------

Materiaal waaier 1	glasvezel versterkt PES
--------------------	-------------------------

Verbinding	flens
------------	-------

Spanning	230VAC
----------	--------

Max. temperatuur	110 °C
------------------	--------

Min. mediumtemperatuur (continu)	-15 °C
-------------------------------------	--------

Waaiers	1
---------	---

Herz	50 Hz
------	-------

Max. omgevingstemperatuur	40 °C
---------------------------	-------


Werkdruk	10 bar
----------	--------

Min. omgevingstemperatuur	0 °C
---------------------------	------

Type	MAGNA1 100-80F EuP ready
------	--------------------------

MWK	8 m
-----	-----

Maat	DN100
------	-------



The graph illustrates the growth of the 'Industria' sector over a 20-year period. The Y-axis, labeled 'Empresas', ranges from 0 to 1,000 in increments of 100. The X-axis, labeled 'Año', ranges from 1990 to 2010 in 5-year increments. There are approximately 15 lines representing different sub-sectors. Most lines show a steady increase, with some reaching plateaus around 1995, 2000, and 2005. The lines are color-coded: blue, green, red, yellow, and orange.

Kenmerken:

- Gegenereerd op datum: 08-05-2026**

