

# Flotide Filterset PE 50 mm / 1 1/2" metrisch/imperial lijmmof 2bar 230VAC grijs type FSP450-6W (7024685)



**FLOTIDE**



**bosta**  
bringing water to life

# TECHNISCHE SPECIFICATIES



|                   |                           |
|-------------------|---------------------------|
| Kleur             | grijs                     |
| Materiaal         | PE                        |
| Verbinding        | metrisch/imperial lijmmof |
| Spanning          | 230VAC                    |
| Herz              | 50 Hz                     |
| Werkdruk          | 2 bar                     |
| Max. temp.        | 40 °C                     |
| Type              | FSP450-6W                 |
| Maat              | 50 mm / 1 1/2"            |
| Diameter          | 450 mm                    |
| Gewicht           | 26.5 kg                   |
| Zand              | 45 kg                     |
| Max capaciteit    | 8 m <sup>3</sup> /h       |
| Pomp              | SS050                     |
| Max. vol. zwembad | 40 m <sup>3</sup>         |

## AFMETINGEN

A 760 mm

B 18 inch

B 680 mm



## PRODUCTINFORMATIE

Blaasgegoten PE filtertank met top-mount 6-weg klep, centrifugaal pomp en voorfilter. Inclusief RCD stekker.

Eigenschappen:

- Ideaal voor bovengrondse zwembaden
- Eenvoudige bediening met 6-weg klep

**Gegenereerd op datum: 24-02-2026**

<http://www.bosta.com>